



GBOY 103822



INVESTOR IN PEOPLE

The Patent Office Concept House Cardiff Road

Newport South Wales

NP10 8@@p 1 4 OCT 2004

WIPO PCT

PRIORITY
DOCUMENT


SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.1.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated 6 October 2004

Best Available Copy

Available Copy

Patents Act 1977 (Rule 16)

THE PATENT OFFICE

Patents Form 1/772 6 SEP 2003

RECEIVED BY FAX



265EP03 E849339 P01/7700 0:00-0322601

Request for grant of a patent

(See the notes on the back of this foem. You can also get an explanatory leaflet from the Patent Office to help you fill in Oriv Spenn)

The Patent Office

Cardiff Road Newport South Wales NP10 8QQ -

Your reference

P35160-/CAM/MEA

Patent application number (The Patent Office will fill in this part)

2 6 SEP 2003

0322601.6

Full name, address and postcode of the or of each applicant (underline all surnames)

OTV SA L'Aquarene, 1 Place Montgolfier St Maurice, Cedex, 94417 France

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

France

8683732001

4. Title of the invention

"Improvements relating to Water Treatment Apparatus"

Name of your agent (If you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the pastcode)

Murgitroyd & Company

Scotland House 165-169 Scotland Street Glasgow G5 8PL

Patents ADP number (if you know to)

1198015

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (If you know it) the or each application number

Country

Primity application number. (if you know it)

Date of filing (day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application. give the number and the filing date of the earlier application

Number of earlier application

Date of filing (day / inooth / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer Yes' If:

- ध) any applicant named in part 3 is not an inventor, of
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body. See mote (d))

Yes

Patents Form 1/77

### Patents Form 1/77

 Enter the number of sheets for any of the following items you are filing with this form.
 Do not count copies of the same document

Continuation sheets of this form

Description

Claim (s)

Abstract

Drawing(s)

 If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Paunus Form 7/77)

Request for preliminary examination and search (Parents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

I/We request the grant of a patent on the basis of this application.

Signature Mary don't

Date 26 September 2003

 Name and daytime telephone number of person to contact in the United Kingdom

Mark Earnshaw

02890 320441

#### Warning

II.

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the Invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

### Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

Patents Form 1/77

Improvements relating to Water Treatment Apparatus 1 2 The present invention relates to a water treatment 3 apparatus programmable pass key. 4 5 Water treatment apparatus including for example 6 ultra-pure treatment and filtration apparatus for 7 laboratory, medical, clinical, research and other 8 uses, are becoming increasingly sophisticated. 9 the need to ensure correct operation of such 10 apparatus also requires to keep in step. 11 12 However, operation of such apparatus is still 13 commonly accessible by any user whether trained or 14 untrained. It is increasingly not desired to allow 15 untrained users to carry out any significant 16 resetting or re-operation of water treatment 17 apparatus. This includes such operations as 18 'sanitisation'. 19 20 Sanitisation of water treatment apparatus is an 21 important operation, and its incorrect operation, 22

such as conducting the operation too frequently or 1 too infrequently, or whilst other operations are 2 ongoing, can lead to significant damage to the 3 apparatus and/or water product therefrom. 4 5 It is an intention of the present invention to 6 obviate these disadvantages. 7 It is also possible to control water treatment 9 apparatus from one than one access point for either 10 display and/or control, with these access points 11 being in separate or different locations. 12 desired to have improved safety levels across the 13 system to reduce the possibility of errors due to: 14 overlapping control. 15 16 Thus, according to one aspect of the present 17 invention, there is provided a water treatment 18 apparatus programmable pass key comprising a data 19 carrier programmed with one or more predetermined 20 codes, each code relating to an operation in or of 21 the water treatment apparatus. 22 23 24 The pass key could have any suitable size, shape or design, including the design and style of other 25 programmable keys such as for tools, cars, computers 26 or other technical equipment. Generally such keys 27 are usable with one hand, and are adapted to be 28 easily storable. 29 30

The data carrier may be any form of programmable 1 2 data carrier known in the art, generally including a 3 computer chip or chips. The operation(s) of the water treatment apparatus 5 include all those known in the art, including any 6 type of treatment of water, such as filtration, 7 8 sanitisation or recirculation, and any type of reprogramming of the water treatment apparatus to 9 provide different flow rates, levels of filtration, 10 etc, as well as servicing operations of the 11 12 apparatus. 13 The term "water treatment apparatus" as used berein 14 15 includes a complete or stand-alone apparatus, as. well as components or parts or fittings of water 16 treatment apparatus, such as individual treatment 17 units or replaceable or consumable parts such as a 18 19 resin cartridge, as well as multi-site apparatus having more than one user or user-operable 20 interface. 21 22 The latter apparatus can often be in different rooms 23 24 or even buildings, often leading to complications where different users are using the same apparatus. 25 at the same time, but desiring different operations 26 The pass key of the present invention 27 therefrom. ensures that certain operations such as sanitisation 28 can be limited to one or more authorised users. 29 30 Multiple access points may be connected across a 31 network as known in the art, such as via an RS485 32

connection across a Local Area Network (LAN). 1 2 access point may be individually programmed to have. access to different operations, display screens or 3 The access points may be configured to only 4 allow one controller to be used at any time or may 5 indicate the location of any network activity. 6 It may further be preferable to limit the location 8 of activation of certain operations, such as 9 10 sanitisation, to certain control points such as the location of chemical addition or storage. 11 12 13 The pass key of the present invention is preferably separable from the water treatment apparatus, and so 14 includes an electronic circuit which can co-operate 15 with an electronic circuit in the host water 16 17 treatment apparatus. The co-operation of the pass key and water treatment apparatus may be one way, 18 19 either from the pass key to the apparatus or vice-20 versa, or two way. 21 The pass key and the water treatment apparatus can 22 communicate via any form of transmittable waveform, 23 24 analogue or digital, including optical and magnetic contacts. Preferably these circuits communicate by 25 physical electrical contact for maximum robustness 26 and confirmation of connection, and to minimise 27 interference by other means of communication. 28 Preferably co-operation of the circuits is only 29 30 possible when the communication is correctly

created, and this is only achieved when the pass key

31 .

32

1	is correctly connected, installed and/or fitted with		
2	the host water treatment apparatus.		
3			
4	Such keys are known in the art, for example from		
5	Dallas Semiconductor Corp. (Dallas TX, USA). Their		
6	key is scanned and the correct type is confirmed		
7	before the serial number stored in the non volatile		
8	memory is checked prior to allowing access to the		
9	functions programmed for that device.		
10			
11	The pass key preferably includes a memory capacity		
12	and an ability to read/interrogate the water		
13	treatment apparatus, and/or vice versa.		
1.4	$\cdot$		
15	The pass key may also include a database having		
16	relevant data relating to the water treatment		
17	apparatus such as validation information, process		
18	information, and/or manufacturing information.		
19	Typical information includes, but is not limited to		
20	date of manufacture, date of the or each servicing		
21	and/or testing and/or other operation, the user,		
22	process parameters and data, quality control		
23	details, and possibly a unique reference code.		
24			
25	Thus, the present invention extends to a water		
26	treatment apparatus programmable pass key as herein		
27	before defined in combination with a water treatment		
28	apparatus adapted to receive and read the pass key.		
29	- 7		
30	The or each code of the pass key may include an		
31	enablement signal to the water treatment apparatus		

which signal may include means for the user to

uniquely control one or more different operations of 3. the water treatment apparatus. 2 3 The pass key or one or more codes in the pass key 4 may be time-dependent, so as to require renewal or 5 The certain time reactivation after a certain time. 6 could be a predetermined time period wherein the 7 user requires retraining on the water treatment 8 apparatus, or the apparatus requires different 9 operations, and the like. 10 11 Different pass keys could be usable on the same 1.2 water treatment apparatus, but each pass key could 13 have a different number and/or type of code 14 according to different types of access allowed by 15 types of different users, such as laboratory 16 personnel and service engineers. 17 18 The pass key of the present invention obviates the 19 need for pass words or pin numbers commonly used in 20 the art to gain access through a key board or key 21 pad to technological apparatus, and can ensure that 22 only authorised personnel can adjust key operating 23 parameters, such as alarm conditions, auto-restart, 24 25 etc. 26 The pass key may also allow access to operational 27 data such as hours operated, number of stop/starts, 28 sanitisations and the like. 29 30 The pass key can also instruct that only key 31

personnel, perhaps those who have only had the

32

appropriate training, can initiate activities such 1 as system cleaning and sanitisation. As chemicals 2 or sanitisation agents can be pumped for some 3 distance through the complete network of pipes and 4 outlets for some types of water treatment apparatus, 5 6 it is an essential safety aspect that only qualified 7 personnel undertake this activity, and in such a way as to avoid conflict with simultaneous operators or 8 9 users. 10 11 The pass key of the present invention could also ensure that for an operation such as cleaning and/or 12 13 sanitisation, such a process can only proceed upon 14 presentation of the key. In many present water 15 treatment apparatus, sanitisation is carried out by 16 the manual introduction of relevant chemicals as and when desired, without any ability of the water 17 18 treatment apparatus to inhibit any user from carrying out the operation when unnecessary. 19 20 The cleaning and/or sanitisation process could 21 include recirculation or the chemicals or sanitants, 22 23 reduction or reservoirs levels, discharge to drains, rinsing with fresh water, all in an automatic 24 process, such that down time of the apparatus is 25 26 minimised due to the use of self-draining reservoirs with no hideout areas, deadlegs, etc. 27

28

29 Where there are more than one display or control 30 stations, the current operation regime can be 31 displayed and in certain circumstances, such as during a samitisation, local operation or control 32

U289U3ZU44Z

can be inhibited. Alternatively certain operations 1

may be prevented from initiation by the distant 2

access point. 3

16:4Z

A further advantage of the present invention is that 5

it can be timed code, such that after a present 6

time, possibly installed during programming of the 7

pass key, it would become inoperable. 8

instance, this could be a signal that the pass key 9

holder must attend ongoing product training at pre-10

determined intervals to ensure their knowledge of 11

the product is kept up to date and their skill codes .12

13 revalidated.

14

The present invention extends to a method of 15

operating a water treatment apparatus, wherein one 16

or more operations of the water treatment apparatus . 17

are only operable by conjunction of a programmable 18

pass key as herein before defined with the water 19

treatment apparatus, said pass key having a or the 20

code adapted to operate the or each operation. 21

22

		·
ı	Cla	im
2		
3	ı.	A water treatment apparatus programmable pass
4		key comprising a data carrier programmed with
5		one or more predetermined codes, each code
6		relating to an operation in or of the water
7		treatment apparatus.
8		
9	2.	A pass key as claimed in Claim 1 wherein the
10		data carrier is programmable.
11		·
12	3.	A pass key as claims in Claim 1 or Claim 2
13		wherein the operation is filtration,
14		sanitisation or recirculation.
15	•	
16	4.	A pass key as claimed in any one of the
17		preceding Claims wherein the water treatment
18		apparatus has multiple access points.
19		
20	<b>5</b> .	A pass key as claimed in any one of the
21		preceding Claims wherein the pass key includes
22		a memory capacity and an ability to
23		read/interrogate the water treatment apparatus
24		and/or vice versa.
25		·
26	6.	A pass key as claimed in any one of the
27		preceding Claims wherein the pass key is time
28		coded.
29		
30	7.	A pass key as claimed in any one of the
31		preceding Claims in combination with a water

treatment apparatus adapted to receive and read the pass key.

3

4 8. A pass key and apparatus combination as claimed 5 in Claim 7 wherein the apparatus is accessable 6 in more than one location.

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:		
☐ BLACK BORDERS		
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES		
☐ FADED TEXT OR DRAWING		
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING		
☐ SKEWED/SLANTED IMAGES		
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS		
☐ GRAY SCALE DOCUMENTS		
LINES OR MARKS ON ORIGINAL DOCUMENT		
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY		
$\cdot$		

## IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.